



3933 US Route 11  
 Cortland, New York 13045 USA  
 Phone Number: (800) 345-3851  
 Fax Number: (607) 758-6637  
 Web: www.intertek.com

**ETL Verified Certificate of Conformance Number: 3070143CRT-003B**

On the basis of the tests undertaken, the sample(s) of the below product have been found to comply with the essential requirements of the referenced specifications at the time the tests were carried out.

**Applicant:**

Molex Premise Networks  
 2222 Wellington Court  
 Lisle, IL 60532

Contact: Mr. Dave Harney

**Manufacturer:**

Molex Premise Networks  
 2222 Wellington Court  
 Lisle, IL 60532

Contact: Mr. Dave Harney

**Verification/Report Number:** 3070143-002

**Product Tested:** Telecommunications Patch Cord

**Model(s) and or Brand Name:** FTP RJ45 Patch Cord PCD-00304-0X ~ PCD-00317-0X (00304 ~ 00317 denotes length = .5m to 10m) (X denotes color)

**Standard(s)/Specification:** ANSI/TIA-568-C.2 and ISO/IEC 11801 Category 6 with the applicable electrical transmission characteristics

**Product package marking shall include:** ETL Verified to ANSI/TIA-568-C.2 and ISO/IEC 11801 Category 6 and the product model(s) and or brand name.


Continuing compliance to this specification is monitored through production testing, quarterly inspections by Intertek at the production facility and random sample testing.

**Date Verified:** 1/17/2005

**Date Revised:** 7/30/2010

**Approved By:**

  
 Kathy Heath, Program Coordinator

  
 Antoine Pelletier, Engineer

**This verification supersedes all previous verifications with the noted Verification/Report number(s) dated before this verification notice.**

**NOTE: This verification is part of the full test report(s) and should be read in conjunction with it.**

This Verification is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Verification. Only the Client is authorized to copy or distribute this Verification. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test results referenced from this Verification are relevant only to the sample tested. This Verification by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.



3933 US Route 11  
 Cortland, New York 13045 USA  
 Phone Number: (800) 345-3851  
 Fax Number: (607) 758-6637  
 Web: www.intertek.com

**ETL Verified Certificate of Conformance Number: 3038819CRT-003**

On the basis of the tests undertaken, the sample(s) of the below product have been found to comply with the essential requirements of the referenced specifications at the time the tests were carried out.

**Applicant:**

Molex Premise Networks  
 2222 Wellington Court  
 Lisle, IL 60532

Contact: Mr. Dave Harney

**Manufacturer:**

Molex Premise Networks  
 2222 Wellington Court  
 Lisle, IL 60532

Contact: Mr. Dave Harney

**Verification/Report Number:** 3032914

**Product Tested:** Telecommunications Patch Cord

**Model(s) and or Brand Name:** PCD-00200-0X - PCD-00214-0x Category 6 UTP Patch Cord (00200 ~ 00214 denotes length (1 feet to 10 meters))

**Standard(s)/Specification:** ANSI/TIA-568-C.2 Category 6 with the applicable electrical transmission characteristics

**Product package marking shall include:** ETL Verified to ANSI/TIA-568-C.2 Category 6 and the product model(s) and or brand name.

Continuing compliance to this specification is monitored through production testing, quarterly inspections by Intertek at the production facility and random sample testing.

**Date Verified:** 1/19/2004

**Date Revised:** 7/30/2010

**Approved By:**

*Kathy Heath*  
 Kathy Heath, Program Coordinator

*Antoine Pelletier*  
 Antoine Pelletier, Engineer

**This verification supersedes all previous verifications with the noted Verification/Report number(s) dated before this verification notice.**

**NOTE: This verification is part of the full test report(s) and should be read in conjunction with it.**

This Verification is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Verification. Only the Client is authorized to copy or distribute this Verification. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test results referenced from this Verification are relevant only to the sample tested. This Verification by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.



3933 US Route 11  
 Cortland, New York 13045 USA  
 Phone Number: (800) 345-3851  
 Fax Number: (607) 758-6637  
 Web: www.intertek.com

**ETL Verified Certificate of Conformance Number: 3099119CRT-001**

On the basis of the tests undertaken, the sample(s) of the below product have been found to comply with the essential requirements of the referenced specifications at the time the tests were carried out.

**Applicant:**

Molex Premise Networks  
 2222 Wellington Court  
 Lisle, IL 60532

Contact: Mr. Jim Duran

**Manufacturer:**

Molex Premise Networks  
 2222 Wellington Court  
 Lisle, IL 60532

Contact: Mr. Jim Duran

**Verification/Report Number:** 3087178

**Product Tested:** Telecommunications Patch Cord

**Model(s) and or Brand Name:** UTP Patch Cord PCD-00200-\*\* thru PCD-00214-\*\* (\*\* denotes color)  
 (Length 1 meter to 7 meter)  
 UTP Patch Cord PCD-00348-\*\* thru PCD-00362-\*\* (\*\* denotes color)  
 (Length 1 meter to 10 meter)

**Standard(s)/Specification:** ANSI/TIA-568-C.2 Category 6 with the applicable electrical transmission characteristics

**Product package marking shall include:** ETL Verified to ANSI/TIA-568-C.2 Category 6 and the product model(s) and or brand name.

Continuing compliance to this specification is monitored through production testing, quarterly inspections by Intertek at the production facility and random sample testing.

**Date Verified:** 6/12/2006

**Date Revised:** 7/30/2010

**Approved By:**

*Kathy Heath*  
 Kathy Heath, Program Coordinator

*Antoine Pelletier*  
 Antoine Pelletier, Engineer

**This verification supersedes all previous verifications with the noted Verification/Report number(s) dated before this verification notice.**

**NOTE: This verification is part of the full test report(s) and should be read in conjunction with it.**

This Verification is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Verification. Only the Client is authorized to copy or distribute this Verification. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test results referenced from this Verification are relevant only to the sample tested. This Verification by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.



3933 US Route 11  
 Cortland, New York 13045 USA  
 Phone Number: (800) 345-3851  
 Fax Number: (607) 758-6637  
 Web: www.intertek.com

**ETL Verified Certificate of Conformance Number: 3103827CRT-001**

On the basis of the tests undertaken, the sample(s) of the below product have been found to comply with the essential requirements of the referenced specifications at the time the tests were carried out.

**Applicant:**

Molex Premise Networks  
 2222 Wellington Court  
 Lisle, IL 60532

Contact: Mr. Jim Duran

**Manufacturer:**

Molex Premise Networks  
 2222 Wellington Court  
 Lisle, IL 60532

Contact: Mr. Jim Duran

**Verification/Report Number:** 3087178

**Product Tested:** Telecommunications Patch Cord

**Model(s) and or Brand Name:** UTP Patch Cord UP66A-XX A - Denotes Molding Type X - Denotes Length 1 meter to 10 meter

**Standard(s)/Specification:** ANSI/TIA-568-C.2 Category 6 with the applicable electrical transmission characteristics

**Product package marking shall include:** ETL Verified to ANSI/TIA-568-C.2 Category 6 and the product model(s) and or brand name.

Continuing compliance to this specification is monitored through production testing, quarterly inspections by Intertek at the production facility and random sample testing.

**Date Verified:** 9/8/2006

**Date Revised:** 7/30/2010

**Approved By:**

*Kathy Heath*  
 Kathy Heath, Program Coordinator

*Antoine Pelletier*  
 Antoine Pelletier, Engineer

**This verification supersedes all previous verifications with the noted Verification/Report number(s) dated before this verification notice.**

**NOTE: This verification is part of the full test report(s) and should be read in conjunction with it.**

This Verification is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Verification. Only the Client is authorized to copy or distribute this Verification. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test results referenced from this Verification are relevant only to the sample tested. This Verification by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.



3933 US Route 11  
 Cortland, New York 13045 USA  
 Phone Number: (800) 345-3851  
 Fax Number: (607) 758-6637  
 Web: www.intertek.com

**ETL Verified Certificate of Conformance Number: 3040798CRT-004**

On the basis of the tests undertaken, the sample(s) of the below product have been found to comply with the essential requirements of the referenced specifications at the time the tests were carried out.

**Applicant:**

Molex Premise Networks  
 2222 Wellington Court  
 Lisle, IL 60532

**Manufacturer:**

Molex Premise Networks  
 2222 Wellington Court  
 Lisle, IL 60532

Contact: Mr. Dave Harney

Contact: Mr. Dave Harney

**Verification/Report Number:** 3032914

**Product Tested:** Telecommunications Connecting Hardware

**Model(s) and or Brand Name:**

- KPD-00078 Category 6 110 Block - 96 Pair Base + Connectors (w/o legs)
- KPD-00079 Category 6 110 Block - 96 Pair Base + Connectors
- KPD-00080 Category 6 110 Block - 192 Pair Base + Connectors
- KPD-00088 Category 6 C4 IDC Connector
- KPD-00093 Category 6 110 Block 48 Pair - with legs
- KPC-00161 Category 6 110 Style Patch cord - 4 pr - 4 pr - 1 metre
- KPC-00162 Category 6 110 Style Patch cord - 4 pr - 4 pr - 2 metre
- KPC-00163 Category 6 110 Style Patch cord - 4 pr - 4 pr - 3 metre
- KPC-00165 Category 6 110 Style Patch cord - 4 pr - 4 pr - 5 metre
- KPC-00171 Category 6 110 Style Patch cord - 4 pr - RJ45 - 1 metre
- KPC-00172 Category 6 110 Style Patch cord - 4 pr - RJ45 - 2 metre
- KPC-00173 Category 6 110 Style Patch cord - 4 pr - RJ45 - 3 metre
- KPC-00175 Category 6 110 Style Patch cord - 4 pr - RJ45 - 5 metre

**Standard(s)/Specification:** ANSI/TIA-568-C.2 Category 6 with the applicable electrical transmission characteristics

**Product package marking shall include:** ETL Verified to ANSI/TIA-568-C.2 Category 6 and the product model(s) and or brand name.

Continuing compliance to this specification is monitored through production testing, quarterly inspections by Intertek at the production facility and random sample testing.

**Date Verified:** 1/19/2004

**Date Revised:** 7/30/2010

**Approved By:**

*Kathy Heath*  
 Kathy Heath, Program Coordinator

*Antoine Pelletier*  
 Antoine Pelletier, Engineer

**This verification supersedes all previous verifications with the noted Verification/Report number(s) dated before this verification notice.**

**NOTE: This verification is part of the full test report(s) and should be read in conjunction with it.**

This Verification is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Verification. Only the Client is authorized to copy or distribute this Verification. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test results referenced from this Verification are relevant only to the sample tested. This Verification by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.